

UNI-Q-RAFT

Mfg. By:

**UNISON METALS LTD.**

Plot No. 5015, Phase IV,  
GIDC Vatva, Ahmedabad-382445

Customer Care :

958 654 4477

For Dealer :

997 969 0162

UNI-Q-RAFT™

Perfect Designed  
**For cooking**

kitchen tools that will give you  
an appetite for cooking







# INTRODUCING OUR EXCLUSIVE INNOVATION

The concept of utility kitchenware in india

From the very start we were determined to minimise the time and effort put in the kitchen by indian housewives.

Through the decades that followed, that followed, the focus of the uniraft design team has always been on studying the changing needs of indian housewives... And coming up with innovative product designs meet their needs.



## OUR UNIQUENESS

*Unique Products*

We are a company founded on innovation. Our high precision molds and world-class manufacturing process give our products superior quality and multi-functionality.

*Unique Selling method*

We offer consumers personal and convenient in-home options to experience and purchase our products. Relationship based selling is an important part of our heritage which creates powerful communities.

*Life Changing Opportunity*

Uniraft celebrates your right to choose the life you want to lead. We empower women and help them succeed through our unique business opportunity



# UNI-QRAFT QUALITY ASSURANCE

## CARE & HANDLING

### → STAINLESS STEEL FLATWARE

While stainless steel is highly resistant to stain and corrosion, even the finest alloys will suffer if corrosive food acids are not removed by proper soaking, washing, rinsing and drying procedures. Careful handling will prolong the life and luster of your stainless steel flatware.

- 1. RINSE** to remove all food remnants immediately after use. Foods which contain salts and acids can slowly break down the finest alloys of the steel.
- 2. PRESOAK** in a plastic or stainless steel pan using a nonabrasive presoak compound. (Never use an Aluminum pan). Maximum time is 20 minutes.
- 3. WASH** in hot water with a non-abrasive, non-corrosive cleaning agent, according to manufacturer's recommendations.
- 4. PLACE** in up-right racks, this will allow the water droplets to flow off the wares. Flat racks can cause damage. The chemicals from the dishwasher will dry on the wares, leading to staining, pitting and perhaps rusting.
- 5. RINSE** in water of at least 180°F / 82°C. A wetting agent or water softener may be required if using water with high mineral content.
- 6. DRY** immediately. Give rack a shake to remove extra water droplets. This will reduce potential water marks on flatware. Never store the flatware when wet or damp.

### → COOKWARE

- Prior to first use remove all stickers and labels, then wash in soap and hot water.
- Do not leave cookware on heating element without food or liquid.
- Always allow cookware to cool before washing.
- Direct application of salt to cookware can cause pitting. Add salt after ingredients are placed in the cookware.
- Acidic products such as tomatoes and saline solutions can be corrosive and should not be stored in cookware.
- Do not soak cookware with disinfectants or chlorine solutions for long periods of time and always follow the instructions of chemical manufacturers.
- Life of cookware will be prolonged if ware is washed by hand in soap and hot water. Good appearance will be prolonged by always scrubbing in the direction of the grain of the metal.
- After washing, ware should be well rinsed and left to drip dry.

### → NON-STICK COATINGS

- Cookware with Eclipse® and Excalibure non-stick coatings is best washed in soap and hot water once cooled down from use, and then dried immediately.
- To preserve life of coating place soft liner between pans when stacking.
- Do not use metal utensils.






# content

8 serveware



10 storage ware

19 unilock airtight



22 nonstick



13 s.s cookware

32 dinner set





stylish and beautiful serveware collection for each one.



Swiss Plate

ITEM	Guage	Size
SSP	22	8", 9"
SSP	22	11" to 15"



Kanchan Bogi

ITEM	Guage	Size
SKB	22	8", 9"
SKB	22	11" to 15"



Khada Khumcha

ITEM	Guage	Size
SKHK	22	8" to 14"



Swiss Vati

ITEM	Guage	Size	Cap.(Ltr.)
SSK	22	5.5"	0.201
SSK	22	6"	0.255
SSK	22	6.5"	0.302



Kanchan Bogi Vati

ITEM	Guage	Size	Cap.(Ltr.)
SKBK	22	5.5"	0.207
SKBK	22	6"	0.314
SKBK	22	6.5"	0.330



Swiss Halwa Plate

ITEM	Guage	Size
SSHP	22	5.5", 6", 6.5"



K.B Halwa Plate

ITEM	Guage	Size
SKBHP	22	5.5", 6", 6.5"



Glass swiss

ITEM	Guage	Size	Cap.(Ltr.)
SSG7	18	7"	0.420



Glass A'glass

ITEM	Guage	Size	Cap.(Ltr.)
SAG7	18	7"	0.420



Beading Parat

ITEM	Guage	Size
SBP	22	12" to 18"



Kanshi

ITEM	Guage	Size
SPBKNS8	22	9" To 12"



Stew Pot

ITEM	Guage	Size	Lid
SSPT14	22	14	-
SSPT16	22	16	-
SSPT18	22	18	-
SSPTSL14	22	14	Steel
SSPTSL16	22	16	Steel
SSPTSL18	22	18	Steel





**Puri Dabba**

Item	Guage	Size	Cap.(Ltr.)
SPD	24	7"	0.520
SPD	24	8"	0.730
SPD	24	9"	0.991
SPD	24	11"	1.400
SPD	24	12"	1.886
SPD	24	13"	2.585



**Belly Puri Dabba**

Item	Guage	Size	Cap.(Ltr.)
SBPD	24	7"	0.520
SBPD	24	8"	0.730
SBPD	24	9"	0.991
SBPD	24	11"	1.400
SBPD	24	12"	1.886
SBPD	24	13"	2.585



**Russian Dabba**

Item	Guage	Size	Cap.(Ltr.)
SRD	22	10"	0.886
SRD	22	11"	1.213
SRD	22	12"	1.754
SRD	22	13"	2.087
SRD	22	14"	2.772
SRD	22	15"	3.775
SRD	22	16"	4.492
SRD	22	17"	5.728
SRD	22	18"	6.807



**Pawali**

Item	Guage	Size	Cap.(Ltr.)
SP	22	12"	15.174
SP	22	14"	19.146
SP	22	16"	25.104
SP	22	18"	31.185
SP	22	20"	40.873
SP	22	22"	50.914
SP	22	24"	62.401



**Ration Dabba**

Item	Guage	Size	Cap.(Ltr.)
SRD	22	12"	10.807
SRD	22	14"	15.934
SRD	22	16"	23.128
SRD	22	18"	31.713
SRD	22	20"	37.648
SRD	22	22"	48.125
SRD	22	24"	60.236



**Belly Masala Dabba**

Item	Guage	Size	Cap.(Ltr.)
SBMD11	24	11"	1.400
SBMD12	24	12"	1.886
SBMD13	24	13"	2.585



**Sada masala Dabba**

Item	Guage	Size	Cap.(Ltr.)
SSMD11	24	11"	1.400
SSMD12	24	12"	1.886
SSMD13	24	13"	2.585

The Best Kitchen  
**Compenian**





**Royal Puri Dabba (C-Thru.)**

Item	Guage	Size	Cap.(Ltr.)	Pkg.
SRPDC11	22	11"	0.453	3 pcs Set
SRPDC12	22	12"	0.770	
SRPDC13	22	13"	0.972	



**Royal Papad dabba (C - Thru)**

Item	Guage	Size	Cap.(Ltr.)	Pkg.
SRPDC11	22	11"	1.146	3 pcs Set
SRPDC12	22	12"	1.559	
SRPDC13	22	13"	2.078	



**Royal Chocolate Dabba (C-Thru.)**

Item	Guage	Size	Cap.(Ltr.)	Pkg.
SRDC7	22	7"	0.312	3 pcs Set
SRDC8	22	8"	0.501	
SRDC9	22	9"	0.707	



**Royal Masala dabba (C - Thru)**

Item	Guage	Size	Cap.(Ltr.)	Pkg.
SRMDC11	22	11"	1.146	3 pcs Set
SRMDC12	22	12"	1.559	
SRMDC13	22	13"	2.078	



**Royal Dabba (C-Thru.)**

Item	Guage	Size	Cap.(Ltr.)	Pkg.
SRDC	22	11"	0.746	5 pcs Set
SRDC	22	12"	1.195	
SRDC	22	13"	1.657	
SRDC	22	14"	2.233	
SRDC	22	15"	2.829	



**Tea-Coffee-Sugar**

ITEM	Guage	Size	STD.Pkg.
SRPDC11	22	-	3 pc. Set



**Top Cover**

ITEM	Guage	Size
STC	22	7" to 9"
STC	22	10" to 18"



**R.B Toppe**

ITEM	Guage	Size
SPRBT	22	7" to 9"
SPRBT	22	10" to 18"



**Sauce Pan**  
With wire handle

ITEM	Guage	Size
SPWH	22	14" to 20"







**Apple Top**

ITEM	Guage	Size	BASE	Cap.(Ltr.)
SIBAT7	22	7	Induction	0.390
SIBAT8	22	8	Induction	0.618
SIBAT9	22	9	Induction	0.849
SIBAT10	22	10	Induction	1.146
SIBAT11	22	11	Induction	1.404
SIBAT12	22	12	Induction	2.032
SIBAT13	22	13	Induction	2.546
SIBAT14	22	14	Induction	3.120
SIBAT15	22	15	Induction	3.771
SIBAT16	22	16	Induction	4.944
SIBAT17	22	17	Induction	5.819
SIBAT18	22	18	Induction	6.789

ITEM	Guage	Size	BASE	Cap.(Ltr.)
SPAT7	22	7	Plain	0.390
SPAT8	22	8	Plain	0.618
SPAT9	22	9	Plain	0.849
SPAT10	22	10	Plain	1.146
SPAT11	22	11	Plain	1.404
SPAT12	22	12	Plain	2.032
SPAT13	22	13	Plain	2.546
SPAT14	22	14	Plain	3.120
SPAT15	22	15	Plain	3.771
SPAT16	22	16	Plain	4.944
SPAT17	22	17	Plain	5.819
SPAT18	22	18	Plain	6.789



**Tasala**

ITEM	Guage	Size	LID	BASE	Cap.(Ltr.)
SIBT	22	22 cm	-	Induction	2.662
SIBT	22	24 cm	-	Induction	3.621
SIBT	22	26 cm	-	Induction	4.515
SIBTGL	22	22 cm	Steel	Induction	2.662
SIBTGL	22	24 cm	Steel	Induction	3.621
SIBTGL	22	26 cm	Steel	Induction	4.515
SPT	22	22 cm	-	Plain	2.662
SPT	22	24 cm	-	Plain	3.621
SPT	22	26 cm	-	Plain	4.515
SPTSL	22	22 cm	Glass	Plain	2.662
SPTSL	22	24 cm	Glass	Plain	3.621
SPTSL	22	26 cm	Glass	Plain	4.515



**Kadai**

ITEM	Guage	Size	LID	BASE	STD.Pkg.	Cap.(Ltr.)
SIBKGL22	22	22 cm	Glass	Induction	1 pc	2.662
SIBKGL24	22	24 cm	Glass	Induction	1 pc	3.621
SIBKGL26	22	26 cm	Glass	Induction	1 pc	4.515
SIBKSL22	22	22 cm	Steel	Induction	1 pc	2.662
SIBKSL24	22	24 cm	Steel	Induction	1 pc	3.621
SIBKSL26	22	26 cm	Steel	Induction	1 pc	4.515
SIBK22	22	22 cm	-	Induction	1 pc	2.662
SIBK24	22	24 cm	-	Induction	1 pc	3.621
SIBK26	22	26 cm	-	Induction	1 pc	4.515



**Kadai with Bakelite Handle**

ITEM	Guage	Size	BASE	STD.Pkg.	Cap.(Ltr.)
SPK22	22	22"	Plain	1 pc	2.662
SPK24	22	24"	Plain	1 pc	3.621
SPK26	22	26"	Plain	1 pc	4.515



**Fry Pan**

ITEM	Guage	Size	LID	BASE	STD.Pkg.	Cap.(Ltr.)
SIBFPGL22	22	22 cm	Glass	Induction	1 pc	1.901
SIBFPGL24	22	24 cm	Glass	Induction	1 pc	2.489
SIBFPGL26	22	26 cm	Glass	Induction	1 pc	3.187
SIBFPSL22	22	22 cm	Steel	Induction	1 pc	1.901
SIBFPSL24	22	24 cm	Steel	Induction	1 pc	2.489
SIBFPSL26	22	26 cm	Steel	Induction	1 pc	3.187
SIBFP22	22	22 cm	-	Induction	1 pc	1.901
SIBFP24	22	24 cm	-	Induction	1 pc	2.489
SIBFP26	22	26 cm	-	Induction	1 pc	3.187



**Casserole**

ITEM	Guage	Size	LID	BASE	STD.Pkg.	Cap.(Ltr.)
SIBCGL18	22	18 cm	Glass	Induction	1 pc	2.291
SIBCGL20	22	20 cm	Glass	Induction	1 pc	3.143
SIBCGL22	22	22 cm	Glass	Induction	1 pc	4.183
SIBCSL18	22	18 cm	Steel	Induction	1 pc	2.291
SIBCSL20	22	20 cm	Steel	Induction	1 pc	3.143
SIBCSL22	22	22 cm	Steel	Induction	1 pc	4.183





### Sauce Pan with Bakelite Handle

ITEM	Guage	Size	LID	BASE	STD.Pkg.	Cap.(Ltr.)
SIBSPGL14	22	14"	Glass	Induction	1 pc	1.078
SIBSPGL16	22	16"	Glass	Induction	1 pc	1.609
SIBSPGL18	22	18"	Glass	Induction	1 pc	2.291
SIBSPGL20	22	20"	Glass	Induction	1 pc	3.143
SIBSPSL14	22	14"	Steel	Induction	1 pc	1.078
SIBSPSL16	22	16"	Steel	Induction	1 pc	1.609
SIBSPSL18	22	18"	Steel	Induction	1 pc	2.291
SIBSPSL20	22	20"	Steel	Induction	1 pc	3.143
SIBSP14	22	14"	-	Induction	1 pc	1.078
SIBSP16	22	16"	-	Induction	1 pc	1.609
SIBSP18	22	18"	-	Induction	1 pc	2.291
SIBSP20	22	20"	-	Induction	1 pc	3.143
SPSP14	22	14"	-	Plain	1 pc	1.078
SPSP16	22	16"	-	Plain	1 pc	1.609
SPSP18	22	18"	-	Plain	1 pc	2.291
SPSP20	22	20"	-	Plain	1 pc	3.143
SPSPSL14	22	14"	Steel	Plain	1 pc	1.078
SPSPSL16	22	16"	Steel	Plain	1 pc	1.609
SPSPSL18	22	18"	Steel	Plain	1 pc	2.291
SPSPSL20	22	20"	Steel	Plain	1 pc	3.143



### Royal Handi

ITEM	Guage	Size	LID	BASE	STD.Pkg.	Cap.(Ltr.)
SIBRHGLS	22	s-10	Glass	Induction	3 pcs	1.095
SIBRHGLM	22	m-11	Glass	Induction		1.386
SIBRHGLB	22	b-12	Glass	Induction		2.032
SIBRHSLS	22	s-10	Steel	Induction	3 pcs	1.095
SIBRHSLM	22	m-11	Steel	Induction		1.386
SIBRHSLB	22	b-12	Steel	Induction		2.032
SPBRHS	22	s-10	Steel	Plain	3 pcs	1.095
SPBRHM	22	m-11	Steel	Plain		1.386
SPBRHB	22	b-12	Steel	Plain		2.032



### Multi Kadai

Non-Stick Dhokla plate - 2 pcs.,  
Non-Stick Idli plate - 2 pcs., Non-Stick Patra plate - 1 pc., Glass Lid

ITEM	Guage	Size	LID	STD.Pkg.
SIBMKB	22	Big	Glass Lid	1 pc



### Goldan Handi

ITEM	Guage	Size	LID	BASE	STD.Pkg.	Cap.(Ltr.)
SIBRHGLS	22	s-10	Glass	Induction	3 pcs	1.095
SIBRHGLM	22	m-11	Glass	Induction		1.386
SIBRHGLB	22	b-12	Glass	Induction		2.032
SPBRHGLS	22	s-10	Glass	Induction	3 pcs	1.095
SPBRHGLM	22	m-11	Glass	Induction		1.386
SPBRHGLB	22	b-12	Glass	Induction		2.032





### Belly Handi

ITEM	Guage	Size	LID	BASE	STD.Pkg.	Cap.(Ltr.)
SIBBHGLS	22	s-10	Glass	Induction		1.095
SIBBHGLM	22	m-11	Glass	Induction	3 pcs	1.386
SIBBHGLB	22	b-12	Glass	Induction		2.032
SIBBHSLs	22	s-10	Steel	Induction		1.095
SIBBHSLM	22	m-11	Steel	Induction	3 pcs	1.386
SIBBHSLB	22	b-12	Steel	Induction		2.032
SPBBHGLS	22	s-10	Glass	Plain		1.095
SPBBHGLM	22	m-11	Glass	Plain	3 pcs	1.386
SPBBHGLB	22	b-12	Glass	Plain		2.032
SPBBHSLs	22	s-10	Steel	Plain		1.095
SPBBHSLM	22	m-11	Steel	Plain	3 pcs	1.386
SPBBHSLB	22	b-12	Steel	Plain		2.032



### Step Handi

ITEM	Guage	Size	LID	BASE	STD.Pkg.	Cap.(Ltr.)
SIBSHGLS	22	s-10	Glass	Induction		1.095
SIBSHGLM	22	m-11	Glass	Induction	3 pcs	1.386
SIBSHGLB	22	b-12	Glass	Induction		2.032
SIBSHSLs	22	s-10	Steel	Induction		1.095
SIBSHSLM	22	m-11	Steel	Induction	3 pcs	1.386
SIBSHSLB	22	b-12	Steel	Induction		2.032
SPBSHGLS	22	s-10	Glass	Plain		1.095
SPBSHGLM	22	m-11	Glass	Plain	3 pcs	1.386
SPBSHGLB	22	b-12	Glass	Plain		2.032
SPBSHSLs	22	s-10	Steel	Plain		1.095
SPBSHSLM	22	m-11	Steel	Plain	3 pcs	1.386
SPBSHSLB	22	b-12	Steel	Plain		2.032

### Uni-Lock Air-Tight Container

UNI-LOCK<sup>®</sup>-RAFT



### Tiffin Set

ITEM	Guage	Size	LID	STD.Pkg.
ULTS2	22	0.250 mx2	P.P. Lid	set





**Tiffin Set**

ITEM	Guage	Size	LID	STD.Pkg.
ULTS3	22	0.250 mlx3	P.P. Lid	set



**Tiffin Set**

ITEM	Guage	Size	LID	STD.Pkg.
ULTS4	22	0.250 mlx4	P.P. Lid	set



**Container**

ITEM	Guage	Size	LID	STD.Pkg.
ULC	22	0.250 ml	P.P. Lid	1pcs



**Tiffin Set**

ITEM	Guage	Size	LID	STD.Pkg.
STS8X2	24	8 X 2	S.S. Lid	set



**Tiffin Set**

ITEM	Guage	Size	LID	STD.Pkg.
STS8X3	24	8 X 3	S.S. Lid	set



**Tiffin Set**

ITEM	Guage	Size	LID	STD.Pkg.
STS8X4	24	8 X 4	S.S. Lid	set

